

19

Notice of Allowability	Application No.	Applicant(s)	
	10/695,792	YONEZAWA, TOSHIHIRO	
	Examiner Trung Q Nguyen	Art Unit 2829	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 03/16/04.
2. The allowed claim(s) is/are 1-7.
3. The drawings filed on 30 October 2003 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 1003
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-7 are allowed.

The following is a statement of reasons for the indication of allowable subject matter: claim 1 recite, *inter alia*, "A fixing mechanism arranged within a probe unit for examining the electrical characteristics of a target object, the target object being maintained under a high-temperature environment within a probe chamber, Comprising, a holding frame configured to hold the probe card and the support frame in the outer peripheral portions thereof so as to permit the probe card to be thermally expanded toward the periphery thereof, the holding frame being fixed to the probe unit; and a plurality of second fastening members configured to fasten the holding frame on the support frame to fix the holding frame."

The art of record does not disclose the above limitations, nor would it be obvious to modify the art of record so as to include the above limitations. Although Yamazaki (U.S. 6,545,458) discloses low-temperature test equipment and Yam (U.S. 6,179,465) discloses a Method and apparatus for infrared pyrometer calibration in a thermal processing system using multiple light sources, they do not disclose the above-mentioned limitations.

Conclusion

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Trung Nguyen whose telephone number is **(571) 272-1966**. The examiner can normally be reached on Monday through Friday, 8:30AM – 5:00PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cuneo Kamand can be reached at **(571) 272-1957**.

Trung Nguyen
Patent Examiner
Group Art Unit 2829
August 06, 2004

David Zarnek
DAVID ZARNEKE
PRIMARY EXAMINER
8/9/04